ELSEVIER

Neuroscience Letters 306 (2001) 209–212

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 306

Áfra, J., see Ambrosini, A., 132
Aihara, Y., see Ishiwata, T., 126
Akano, F., see Ishiwata, T., 126
Alekov, A.K., Peter, W., Mitrovic, N., Lehmann-Horn, F., Lerche, H., Two mutations in the IV/S4-S5 segment of the human skeletal muscle Na^+ channel disrupt fast and enhance slow inactivation, 173
Ambrosini, A., De Pasqua, V., Áfra, J., Sandor, P.S., Schoenen, J., Reduced gating of middle-latency auditory evoked potentials (P50) in migraine patients: another indication of abnormal sensory processing?, 132
Ances, B.M., Buerk, D.G., Greenberg, J.H., Detre, J.A., Temporal dynamics of the partial pressure of brain tissue oxygen during functional forepaw stimulation in rats, 106
Anello, G., Guéant, J.-L., Romano, C., Barone, C., Pettinato, R., Pillot, T., Rodriguez, R.-M., Romano, A., Bosco, P., Allele ε4 of apolipoprotein E gene is less frequent in Down syndrome patient of the Sicilian population and has no influence on the grade of mental retardation, 129
Arankowsky-Sandoval, G., Mut-Martín, M., Solís-Rodríguez, F., Góngora-Alfaro, J.L., Barrera-Pérez, M., Sleep and memory deficits in the rat produced by experimental infection with *Trypanosoma cruzi*, 65
Asai, K., see Katano, H., 101

Ball, S., see Rogers, D.C., 89
Barlas, C., see Marcotte, E.R., 21
Barone, C., see Anello, G., 129
Barrera-Pérez, M., see Arankowsky-Sandoval, G., 65
Baumann, O., Disruption of actin filaments causes redistribution of ryanodine receptor Ca^{2+} channels in honeybee photoreceptor cells, 181
Bayer, T.A., see Wirths, O., 116
Berkley, K.J., Cason, A., Jacobs, H., Bradshaw, H., Wood, E., Vaginal hyperalgesia in a rat model of endometriosis, 185
Beslot, F., see Daugé, V., 41
Beyreuther, K., see Wirths, O., 116
Bezin, L., see Groc, L., 198
Blanchard, V., see Wirths, O., 116
Bosco, P., see Anello, G., 129
Bradshaw, H., see Berkley, K.J., 185
Briski, K.P., Sylvester, P.W., Co-distribution of Fos- and mu opioid receptor immunoreactivity within the rat septopreoptic area and hypothalamus during acute glucose deprivation: effects of the mu receptor antagonist CTOP, 141
Brodowsky, R., see Schuh-Hofer, S., 61
Brück, W., see Weishaupt, A., 77
Buerk, D.G., see Ances, B.M., 106

Cardile, V., Palumbo, M., Renis, M., Pavone, A., Maci, T., Perciavalle, V., Tiagabine treatment and DNA damage in rat astrocytes: an in vitro study by comet assay, 17
Cason, A., see Berkley, K.J., 185
Castroman, P., Ness, T.J., Vigor of visceromotor responses to urinary bladder distension in rats increases with repeated trials and stimulus intensity, 97
Cattini, P.A., see Lynn, B.D., 49
Chikhale, P.J., see Killian, D.M., 1
Chugh, A., see Marcotte, E.R., 21
Clark, D.J., see Lameh, J., 25
Claus, P., see Wewetzer, K., 165
Coates, J., see Lambert, J.-C., 193
Comas, T., see Hou, S.T., 153
Conn, K.J., Ullman, M.D., Eisenhauer, P.B., Fine, R.E., Wells, J.M., Decreased expression of the NADH:ubiquinone oxidoreductase (complex I) subunit 4 in 1-methyl-4-phenylpyridinium -treated human neuroblastoma SH-SY5Y cells, 145
Conti, G., see Zocchi, A., 177
Cowan, E., see Hou, S.T., 153
Crook, R., see Hardy, J., 203
Cumming, A., see Lambert, J.-C., 193
Czech, C., see Wirths, O., 116

D'Andrea, M.R., Ilyin, S., Plata-Salaman, C.R., Abnormal patterns of microtubule-associated protein-2 (MAP-2) immunolabeling in neuronal nuclei and Lewy bodies in Parkinson's disease substantia nigra brain tissues, 137
Daugé, V., Beslot, F., Matsui, T., Roques, B.P., Mutant mice lacking the cholecystokinin$_2$ receptor show a dopamine-dependent hyperactivity and a behavioral sensitization to morphine, 41
Dayalu, V.N., Saltuklaroglu, T., Kalinowski, J., Stuart, A., Rastatter, M.P., Producing the vowel/a/ prior to speaking inhibits stuttering in adults in the English language, 111
De Pasqua, V., see Ambrosini, A., 132
Detre, J.A., see Ances, B.M., 106
Diener, H.C., see Nelles, G., 189
Dirnagl, U., see Schuh-Hofer, S., 61
Dostanic, S., see Hou, S.T., 153
Dreier, J.P., see Schuh-Hofer, S., 61

Eckstein, A., see Nelles, G., 189
Eisenhauer, P.B., see Conn, K.J., 145
Esser, J., see Nelles, G., 189

Fathollahi, Y., Salami, M., The role of N-methyl-D-aspartate receptors in synaptic plasticity of rat visual cortex in vitro: effect of sensory experience, 149
Ferrari, U., see Rammes, G., 81
Ferrer, I., see Puig, B., 85
Fine, R.E., see Conn, K.J., 145
Fisher, E.M.C., see Rogers, D.C., 89

PII: S0304-3940(01)01957-7

Flanders, M., see Reifel Saltzberg, J., 73
Fu, Y., see Zhou, J., 53
Fujita, K., see Katano, H., 101

Gerhard, H., see Nelles, G., 189
Gold, R., see Weishaupt, A., 77
Góngora-Alfaro, J.L., see Arankowsky-Sandoval, G., 65
Gotoh, L., see Nakahara, T., 93
Greenberg, J.H., see Ances, B.M., 106
Groc, L., Bezin, L., Jiang, H., Jackson, T.S., Levine, R.A., Bax, Bcl-2, and cyclin expression and apoptosis in rat substantia nigra during development, 198
Grothe, C., see Wewetzer, K., 165
Guéant, J.-L., see Anello, G., 129

Hafezparast, M., see Rogers, D.C., 89
Haque, J., see Théoret, H., 29
Hardy, J., Crook, R., Presenilin mutations line up along transmembrane α-helices, 203
Harris, J.M., see Lambert, J.-C., 193
Hartung, T., see Weishaupt, A., 77
Hasegawa, H., see Ishiwata, T., 126
Hibberd, C., see Yau, J.L.W., 161
Hirano, M., see Nakahara, T., 93
Hirst, J.J., see Nicol, M.B., 13
Honda, E., Xu, S.-H., Ono, K., Ito, K., Inenaga, K., Spontaneously active GABAergic interneurons in the subfornical organ of rat slice preparations, 45
Hondzinski, J.M., see Reifel Saltzberg, J., 73
Hori, K., see Izaki, Y., 33
Hou, S.T., Cowan, E., Dostanic, S., Rasquinha, I., Comas, T., Morley, P., MacManus, J.P., Increased expression of the transcription factor E2F1 during dopamine-evoked, caspase-3-mediated apoptosis in rat cortical neurons, 153
Huang, C., see Ying, G.-X., 121

Ichikawa, M., see Kurimoto, Y., 57
Ikeda, K., see Negishi, H., 206
Ilyin, S., see D'Andrea, M.R., 137
Inenaga, K., see Honda, E., 45
Ishiguro, K., see Takashima, A., 37
Ishikura, N., Tsunashima, K., Watanabe, K.-i., Nishimura, T., Shirayama, Y., Kato, N., Temporal change of hippocampal enkephalin and dynorphin mRNA following trimethyltin intoxication in rats: effect of anticonvulsant, 157
Ishiwata, T., Hasegawa, H., Yasumatsu, M., Akano, F., Yazawa, T., Otokawa, M., Aihara, Y., The role of preoptic area and anterior hypothalamus and median raphe nucleus on thermoregulatory system in freely moving rats, 126
Ito, K., see Honda, E., 45
Izaki, Y., Hori, K., Nomura, M., Elevation of prefrontal acetylcholine is related to the extinction of learned behavior in rats, 33

Jackson, T.S., see Groc, L., 198
Jacobs, H., see Berkley, K.J., 185
Jiang, H., see Groc, L., 198
Jing, N.-H., see Ying, G.-X., 121

Kalinowski, J., see Dayalu, V.N., 111
Kaneko, Y., see Kurimoto, Y., 57
Katano, H., Fujita, K., Kato, T., Asai, K., Kawamura, Y., Masago, A., Yamada, K., A metabotropic glutamate receptor antagonist, α-methyl-4-carboxyphenylglycine, attenuates immediate early gene mRNA expression following traumatic injury in cultured rat cortical glial cells, 101
Kato, N., see Ishikura, N., 157
Kato, T., see Katano, H., 101
Kawamura, Y., see Katano, H., 101
Kawanami, N., see Nakahara, T., 93
Keohane, A., see Lameh, J., 25
Killian, D.M., Chikhale, P.J., Predominant functional activity of the large, neutral amino acid transporter (LAT1) isoform at the cerebrovasculature, 1
Klee, R., see Schuh-Hofer, S., 61
Klitgaard, H., see Niespodziany, I., 5
Kubota, S., see Obata, T., 9
Kurimoto, Y., Shibuki, H., Kaneko, Y., Ichikawa, M., Kurokawa, T., Takahashi, M., Yoshimura, N., Transplantation of adult rat hippocampus-derived neural stem cells into retina injured by transient ischemia, 57
Kurokawa, T., see Kurimoto, Y., 57

Lambert, J.-C., Harris, J.M., Mann, D., Lemmon, H., Coates, J., Cumming, A., St-Clair, D., Lendon, C., Are the estrogen receptors involved in Alzheimer's disease?, 193
Lameh, J., Keohane, A., Clark, D.J., Loew, G.H., Characterization of novel benzodiazepine ligands in *Spodotera frugiperda* (Sf-9) insect cells, 25
Latcham, J., see Rogers, D.C., 89
Lehmann-Horn, F., see Alekov, A.K., 173
Lemmon, H., see Lambert, J.-C., 193
Lendon, C., see Lambert, J.-C., 193
Lerche, H., see Alekov, A.K., 173
Levine, R.A., see Groc, L., 198
Li, X., see Lynn, B.D., 49
Lindauer, U., see Schuh-Hofer, S., 61
Lobsien, E., see Schuh-Hofer, S., 61
Loew, G.H., see Lameh, J., 25
Lynn, B.D., Li, X., Cattini, P.A., Nagy, J.I., Sequence, protein expression and extracellular-regulated kinase association of the hyaladherin RHAMM (receptor for hyaluronan mediated motility) in PC12 cells, 49

Maci, T., see Cardile, V., 17
MacManus, J.P., see Hou, S.T., 153
Mann, D., see Lambert, J.-C., 193
Marcotte, E.R., Chugh, A., Barlas, C., Mishra, R.K., Differential regulation of striatal G protein levels following 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine administration in C57 BL/6 mice, 21
Margineanu, D.G., see Niespodziany, I., 5
Martin, J.E., see Rogers, D.C., 89
Masago, A., see Katano, H., 101
Matsui, T., see Daugé, V., 41
Mishra, R.K., see Marcotte, E.R., 21
Mitrovic, N., see Alekov, A.K., 173
Morley, P., see Hou, S.T., 153
Motomura, K., see Nakahara, T., 93
Moussaoui, S., see Wirths, O., 116
Multhaup, G., see Wirths, O., 116
Murayama, M., see Takashima, A., 37
Mut-Martín, M., see Arankowsky-Sandoval, G., 65

Nagy, J.I., see Lynn, B.D., 49

Nakahara, T., Gotoh, L., Motomura, K., Kawanami, N., Ohta, E., Hirano, M., Uchimura, H., Acute and chronic haloperidol treatments increase parkin mRNA levels in the rat brain, 93
Nara, Y., see Negishi, H., 206
Negishi, H., Ikeda, K., Nara, Y., Yamori, Y., Increased hydroxyl radicals in the hippocampus of stroke-prone spontaneously hypertensive rats during transient ischemia and recirculation, 206
Nelles, G., Esser, J., Eckstein, A., Tiede, A., Gerhard, H., Diener, H.C., Compensatory visual field training for patients with hemianopia after stroke, 189
Ness, T.J., see Castroman, P., 97
Nicholson, S.J., see Rogers, D.C., 89
Nicol, M.B., Hirst, J.J., Walker, D.W., Effect of finasteride on behavioural arousal and somatosensory evoked potentials in fetal sheep, 13
Niespodziany, I., Klitgaard, H., Margineanu, D.G., Levetiracetam inhibits the high-voltage-activated Ca^{2+} current in pyramidal neurones of rat hippocampal slices, 5
Nishimura, T., see Ishikura, N., 157
Noble, J., see Yau, J.L.W., 161
Nomura, M., see Izaki, Y., 33

Obata, T., Kubota, S., Yamanaka, Y., Allopurinol suppresses para-nonylphenol and 1-methyl-4-phenylpyridinium ion (MPP^+)-induced hydroxyl radical generation in rat striatum, 9
Ohta, E., see Nakahara, T., 93
Ono, K., see Honda, E., 45
Orzi, F., see Zocchi, A., 177
Otokawa, M., see Ishiwata, T., 126

Palumbo, M., see Cardile, V., 17
Parsons, C.G., see Rammes, G., 81
Pascual-Leone, A., see Théoret, H., 29
Pavone, A., see Cardile, V., 17
Perciavalle, V., see Cardile, V., 17
Peter, W., see Alekov, A.K., 173
Peters, J., see Rogers, D.C., 89
Pettinato, R., see Anello, G., 129
Pillot, T., see Anello, G., 129
Plata-Salaman, C.R., see D'Andrea, M.R., 137
Pradier, L., see Wirths, O., 116
Puig, B., Tortosa, A., Ferrer, I., Cleaved caspase-3, caspase-7 and poly (ADP-ribose) polymerase are complementarily but differentially expressed in human medulloblastomas, 85

Quilter, C.A., see Rogers, D.C., 89

Rammes, G., Rupprecht, R., Ferrari, U., Zieglgänsberger, W., Parsons, C.G., The *N*-methyl-D-aspartate receptor channel blockers memantine, MRZ 2/579 and other amino-alkyl-cyclohexanes antagonise 5-HT_3 receptor currents in cultured HEK-293 and N1E-111 cell systems in a non-competitive manner, 81
Rasquinha, I., see Hou, S.T., 153
Rastatter, M.P., see Dayalu, V.N., 111
Reifel Saltzberg, J., Hondzinski, J.M., Flanders, M., Humans adapt the initial posture in learning a whole-body kicking movement, 73
Renis, M., see Cardile, V., 17
Robinson, T.L., see Rogers, D.C., 89
Rodriguez, R.-M., see Anello, G., 129
Rogers, D.C., Peters, J., Martin, J.E., Ball, S., Nicholson, S.J., Witherden, A.S., Hafezparast, M., Latcham, J., Robinson, T.L., Quilter, C.A., Fisher, E.M.C., SHIRPA, a protocol for behavioral assessment: validation for longitudinal study of neurological dysfunction in mice, 89
Romano, A., see Anello, G., 129
Romano, C., see Anello, G., 129
Roques, B.P., see Daugé, V., 41
Rupprecht, R., see Rammes, G., 81

Salami, M., see Fathollahi, Y., 149
Saltuklaroglu, T., see Dayalu, V.N., 111
Sandor, P.S., see Ambrosini, A., 132
Schillings, M., see Schöls, L., 169
Schoenen, J., see Ambrosini, A., 132
Schöls, L., Vorgerd, M., Schillings, M., Skipka, G., Zange, J., Idebenone in patients with Friedreich ataxia, 169
Schuh-Hofer, S., Lobsien, E., Brodowsky, R., Vogt, J., Dreier, J.P., Klee, R., Dirnagl, U., Lindauer, U., The cerebrovascular response to elevated potassium – role of nitric oxide in the in vitro model of isolated rat middle cerebral arteries, 61
Seckl, J.R., see Yau, J.L.W., 161
Shibuki, H., see Kurimoto, Y., 57
Shirayama, Y., see Ishikura, N., 157
Skipka, G., see Schöls, L., 169
Solís-Rodríguez, F., see Arankowsky-Sandoval, G., 65
St-Clair, D., see Lambert, J.-C., 193
Stuart, A., see Dayalu, V.N., 111
Sylvester, P.W., see Briski, K.P., 141

Takahashi, H., see Takashima, A., 37
Takahashi, M., see Kurimoto, Y., 57
Takashima, A., Murayama, M., Yasutake, K., Takahashi, H., Yokoyama, M., Ishiguro, K., Involvement of cyclin dependent kinase5 activator p25 on tau phosphorylation in mouse brain, 37
Tang, X.C., see Zhou, J., 53
Théoret, H., Haque, J., Pascual-Leone, A., Increased variability of paced finger tapping accuracy following repetitive magnetic stimulation of the cerebellum in humans, 29
Tiede, A., see Nelles, G., 189
Tortosa, A., see Puig, B., 85
Toyka, K.V., see Weishaupt, A., 77
Tremp, G., see Wirths, O., 116
Tsunashima, K., see Ishikura, N., 157

Uchimura, H., see Nakahara, T., 93
Ullman, M.D., see Conn, K.J., 145

Vogt, J., see Schuh-Hofer, S., 61
Vorgerd, M., see Schöls, L., 169

Walker, D.W., see Nicol, M.B., 13
Watanabe, K.-i., see Ishikura, N., 157
Weishaupt, A., Brück, W., Hartung, T., Toyka, K.V., Gold, R., Schwann cell apoptosis in experimental autoimmune neuritis of the Lewis rat and the functional role of tumor necrosis factor-α, 77
Wells, J.M., see Conn, K.J., 145
Wewetzer, K., Grothe, C., Claus, P., In vitro expression and regulation of ciliary neurotrophic factor and its α receptor subunit in neonatal rat olfactory ensheathing cells, 165
Wirths, O., Multhaup, G., Czech, C., Blanchard, V., Moussaoui, S., Tremp, G., Pradier, L., Beyreuther, K., Bayer, T.A., Intraneuronal Aβ accumulation precedes plaque formation in β-amyloid precursor protein and presenilin-1 double-transgenic mice, 116

Witherden, A.S., see Rogers, D.C., 89
Wood, E., see Berkley, K.J., 185
Wu, G.-C., see Yang, Z.-L., 69

Xu, S.-H., see Honda, E., 45

Yamada, K., see Katano, H., 101
Yamanaka, Y., see Obata, T., 9
Yamori, Y., see Negishi, H., 206
Yang, Z.-L., Zhang, Y.-Q., Wu, G.-C., Distinct effect of orphanin FQ in nucleus raphe magnus and nucleus reticularis gigantocellularis on the rat tail flick reflex, 69
Yasumatsu, M., see Ishiwata, T., 126
Yasutake, K., see Takashima, A., 37
Yau, J.L.W., Noble, J., Hibberd, C., Seckl, J.R., Short-term administration of fluoxetine and venlafaxine decreases corticosteroid receptor mRNA expression in the rat hippocampus, 161
Yazawa, T., see Ishiwata, T., 126
Ying, G.-X., Huang, C., Jing, N.-H., Zhou, C.-F., Identification of differentially expressed genes in the denervated rat hippocampus by cDNA arrays, 121
Yokoyama, M., see Takashima, A., 37
Yoshimura, N., see Kurimoto, Y., 57

Zange, J., see Schöls, L., 169
Zhang, Y.-Q., see Yang, Z.-L., 69
Zhou, C.-F., see Ying, G.-X., 121
Zhou, J., Fu, Y., Tang, X.C., Huperzine A and donepezil protect rat pheochromocytoma cells against oxygen–glucose deprivation, 53
Zieglgänsberger, W., see Rammes, G., 81
Zocchi, A., Conti, G., Orzi, F., Differential effects of cocaine on local cerebral glucose utilization in the mouse and in the rat, 177